

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 1 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

SECTION 1: Identification

Product identifier

Product name: BIORELEASE DESLORELIN (BRD)

Synonyms: BIORELEASE DESLORELIN; INJECTABLE GONADOTROPHIN

RELEASING HORMOINE (GnRH) ANALOGUE

Recommended use of the product and restriction on use

Relevant identified uses: VETERINARY USE: For the induction of

ovulation in the mare.

Uses advised against: Not for human use.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Supplier:

Australia

Dechra Veterinary Products (Australia) Pty Ltd 2 Cal Close Somersby, NSW 2250 1300 015 825 info.au@dechra.com http://www.dechra.com.au/

Emergency telephone number:

Australia

Poisons Information Centre 13 11 26 (24 hours, 7 days a week)

SECTION 2: Hazard(s) identification

Classification in accordance with Australian Work Health and Safety Regulations and the GHS Revision 7:

Acute toxicity (oral), category 4

Label elements

Hazard pictograms:



Signal Word: Warning

Hazard statements:

H302 Harmful if swallowed

Precautionary statements:

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 2 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

P102 Keep out of reach of children

P264 Wash skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 Rinse mouth

P501 Dispose of contents and container in accordance with local regulations.

Hazards not otherwise classified:

None

SECTION 3: Composition and information on ingredients

Identification	Name	Weight %
CAS number: 120-51-4	Benzyl benzoate	80-90
CAS number: 100-51-6	Benzyl Alcohol	1-5
CAS number: 57773-65-6	Deslorelin acetate	0.125

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Australian Work Health and Safety Regulations 2021.

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses, if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 3 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed symptoms and effects:

Symptoms of exposure may be delayed.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Fire fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 4 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage precautions

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Do not freeze. Store below 30°C.

SECTION 8: Exposure controls and personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 5 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Clear oily liquid
Colour	Not determined or not available.
Odour	Slight
рН	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	> 93°C
Flammability (solid, gas)	Combustible
Lower flammability/explosive limit	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Relative density	1.05 to 1.15
Relative vapor density	Not determined or not available.
Density	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.
Solubilities	Soluble in water.

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 6 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Incompatible materials:

Oxidising agents (hypochlorites), acids (nitric acid) and alkalis (sodium hydroxide).

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Hazard information

Acute toxicity

Assessment:

Harmful if swallowed.

Product data: No data available.

Substance data:

Name	Route	Result
Benzyl benzoate	Oral ATE	LD50 Rat: 500 mg/kg
Benzyl Alcohol	oral	LD50 Rat: 1620 mg/kg
	inhalation	LC50 Rat: >4.178 mg/L (4 hr [aerosol])
	dermal	LD50 Rabbit: >2000 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

Name	Result
Benzyl Alcohol	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 7 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

Name	Result
Deslorelin acetate	May damage fertility or the unborn child.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure:

Ingestion

Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Benzyl benzoate	Fish EC50 Danio rerio: 2.32 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 3.09 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 0.311 mg/L (72 hr [biomass])

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 8 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Name	Result
Benzyl Alcohol	Fish LC50 Pimephales promelas: 460 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 230 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 770 mg/L (72 hr [growth rate])

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Benzyl benzoate	Fish NOEC Danio rerio: 0.023 mg/L (35 d [mortality])
	Aquatic Invertebrates NOEC Daphnia magna: 0.258 mg/L (21 d [reproduction])
Benzyl Alcohol	Fish NOEC Freshwater fish: 48.897 mg/L (30 d [mortality, QSAR substance data])
	Aquatic Invertebrates NOEC Daphnia magna: 51 mg/L (21 d [reproduction])

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
	The substance is readily biodegradable, 94% degradation measured by O2 consumption after 28 days.
	The substance is readily biodegradable. 92 - 96% degradation in water, measured by O2 consumption after 14 days.

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Benzyl benzoate	The substance has low potential to bioaccumulate [BCF: 193.4 L/Kg ww].
	The substance is not expected to bioaccumulate (log Pow= 1 at 20 $^{\circ}$ C and BCF= 1. 1.371 L/kg- QSAR data).

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
	The substance is slightly mobile with a high potential for adsorption to soil and sediment [log Koc: 3.8].
	The substance is mobile, therefore, adsorption to soil is not expected (log Koc= 1.332 L/kg, QSAR substance data).

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 9 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Substance data:

PBT assessment:

Benzyl benzoate	The substance is not PBT.
Benzyl Alcohol	The substance is not PBT.
vPvB assessment:	
Benzyl benzoate	The substance is not vPvB.
Benzyl Alcohol	The substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

Australian Dangerous Goods (ADG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None

According to Australian Work Health and Safety Regulations 2021 and the GHS Revision 7

Initial preparation date: 01.09.2019 Page 10 of 10

Revision date: 04.12.2024

BIORELEASE DESLORELIN (BRD)

Special precautions for user	None
------------------------------	------

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Australia regulations

Australian Inventory of Chemical Substances (AICS):

57773-65-6		Not Listed
120-51-4	Benzyl benzoate	Listed
100-51-6	Benzyl Alcohol	Listed

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not determined.

Additional information: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This SDS was authored in accordance with the Australian Work Health and Safety Regulations 2021 and the GHS Revision 7 and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 01.09.2019

Revision date: 04.12.2024

Revision Notes:

Revision Date	Notes
2024-04-01	Version 2; Supercedes Version 1.1 (01.09.2019)

End of Safety Data Sheet