

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name METROBACTIN (250MG, 500MG) TABLETS

Synonyms METROBACTIN 250MG TABLETS • METROBACTIN 500MG TABLETS

1.2 Uses and uses advised against

UsesANTIBACTERIAL • DOG TREATMENT • TREATMENT OF INFECTIONS • VETERINARY APPLICATIONSUses advised againstDo not use in case of hepatic disorders. Do not use in case of hypersensitivity to metronidazole.

1.3 Details of the supplier of the product

Supplier name	DECHRA VETERINARY PRODUCTS (AUSTRALIA) PTY LTD
Address	2 Cal Close, Somersby, NSW, 2250, AUSTRALIA
Telephone	1300 015 825; (02) 4372 1661
Fax	(02) 4372 1668
Email	info.au@dechra.com
Website	http://www.dechra.com.au/

1.4 Emergency telephone numbers

Emergency

13 11 26 (Poisons Information Centre)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Germ Cell Mutagenicity: Category 2

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word

WARNING

Pictograms



Hazard statements

H341

Suspected of causing genetic defects.

Prevention statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response statements

P308 + P313

IF exposed or concerned: Get medical advice/ attention.



PRODUCT NAME METROBACTIN (250MG, 500MG) TABLETS

Storage statements

P405

Store locked up.

Disposal statements

P501

Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content (w/w)
METRONIDAZOLE	443-48-1	207-136-1	30 to 60%
CELLULOSE	9004-34-6	232-674-9	10 to <30%
STEARATES	557-04-0	209-150-3	<10%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting. Rinse mouth with water provided person is conscious.
First aid facilities	Eye wash facilities and safety shower are recommended.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides, nitrogen oxides and hydrocarbons when heated to decomposition.

5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.



PRODUCT NAME METROBACTIN (250MG, 500MG) TABLETS

6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool (< 25°C), dry, well marked area, removed from foodstuffs and other drugs. Storage areas and containers should be clearly marked for drug holding, protected from light, freezing or physical damage and tightly sealed when not in use. Keep out of reach of children.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
Ingredient		ppm	mg/m³	ppm	mg/m³
Cellulose (paper fibre) (a)	SWA [AUS]		10		
Stearates	SWA [AUS]		10		
Stearates (inhalable)	SWA [Proposed]		10		
Stearates (respirable)	SWA [Proposed]		3		

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / Face	Not required under normal conditions of use.
Hands	Individuals with sensitive skin should consider wearing latex gloves.
Body	Not required under normal conditions of use.
Respiratory	Not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

BROWN SPIKED ROUND TABLETS QUADRISECT, 13 MM OR 15 MM DIAMETER Appearance Odour SLIGHT ODOUR Flammability NON FLAMMABLE NOT RELEVANT Flash point **Boiling point** NOT AVAILABLE **Melting point** NOT AVAILABLE **Evaporation rate** NOT AVAILABLE pН NOT AVAILABLE Vapour density NOT AVAILABLE **Relative density** NOT AVAILABLE Solubility (water) NOT AVAILABLE Vapour pressure NOT AVAILABLE Upper explosion limit NOT RELEVANT Lower explosion limit NOT RELEVANT



PRODUCT NAME METROBACTIN (250MG, 500MG) TABLETS

9.1 Information on basic physical and chemical properties

NOT AVAILABLE
NOT AVAILABLE

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid contact with incompatible substances. Avoid exposure to light.

10.5 Incompatible materials

Compatible with most commonly used materials.

10.6 Hazardous decomposition products

May evolve carbon oxides, nitrogen oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

This product is used in veterinary applications. Use safe work practices to avoid eye contact, prolonged skin contact and ingestion. Refer to medical doctor/specialist for advice regarding adverse side effects.

Information available for the ingredients:

Ingredient		Oral LD50	Dermal LD50	Inhalation LC50	
METRONIDAZOLE		3000 mg/kg (rat)			
CELLULOSE		> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 5800 mg/m³/4 hours (rat)	
Skin	Contact may result in irritation, redness and rash.				
Eye	Contact may result in irritation, lacrimation, pain, redness and conjunctivitis.				
Sensitisation	Not classified as causing skin or respiratory sensitisation.				
Mutagenicity	Suspected of causing genetic defects. Reduced metronidazole, which is cytotoxic but short-lived, interacts with DNA to cause loss of helical structure, strand breakage, and resultant inhibition of nucleic acid synthesis and cell death.				
Carcinogenicity	Not classified as a carcinogen. Metronidazole is classified as possibly carcinogenic to humans (IARC Group 2B).				
Reproductive	Not classified as a reproductive toxin.				
STOT - single exposure	Over exposure may result in irritation of the nose and throat, with coughing.				
STOT - repeated exposure	Not classified as causing organ damage from repeated exposure. Peripheral neuropathy, characterized by numbness, tingling, or paresthesia of an extremity, and convulsive seizures have been reported rarely with oral or intravenous metronidazole. Peripheral neuropathy is usually reversible if metronidazole is discontinued but may persist in patients who receive prolonged therapy or higher than recommended dosage of the drug.				
Aspiration	Not classified as causing aspiration.				

12. ECOLOGICAL INFORMATION

ChemAlert.

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal

For small quantities, collect and place in sealable containers. Dispose of, as with other clinical waste, by high temperature incineration (recommended > 1100°C). Burial to landfill may be acceptable, but only at an approved and licensed waste disposal site.

Dispose of in accordance with relevant local legislation. Legislation

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

Poison schedule	Classified as a Schedule 4 (S4) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
APVMA Numbers	90314 • 90315
Classifications	Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7).
Inventory listings	AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals) All components are listed on AIIC, or are exempt. NEW ZEALAND: NZIOC (New Zealand Inventory of Chemicals) All components are listed on the NZIOC inventory, or are exempt. UNITED STATES: TSCA (US Toxic Substances Control Act) All components are listed on the TSCA inventory, or are exempt.

16. OTHER INFORMATION



PRODUCT NAME METROBACTIN (250MG, 500MG) TABLETS

Additional information	WORKPLACE CONTROLS AND PRACTICES: Unless a less toxic chemical can be substituted f hazardous substance, ENGINEERING CONTROLS are the most effective way of reducing expos The best protection is to enclose operations and/or provide local exhaust ventilation at the sit chemical release. Isolating operations can also reduce exposure. Using respirators or protect equipment is less effective than the controls mentioned above, but is sometimes necessary.			
	PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this report is provided as a guid only. Factors such as form of product, method of application, working environment, quantity use product concentration and the availability of engineering controls should be considered before fir selection of personal protective equipment is made.			
	HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several fact including: form of product; frequency and duration of use; quantity used; effectiveness of con measures; protective equipment used and method of application. Given that it is impractical prepare a report which would encompass all possible scenarios, it is anticipated that users assess the risks and apply control methods where appropriate.			
Abbreviations	ACGIH CAS # CNS	American Conference of Governmental Industrial Hygienists Chemical Abstract Service number - used to uniquely identify chemical compounds Central Nervous System		
	EC No. EMS	EC No - European Community Number Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous		
	GHS	Goods) Globally Harmonized System		
	GTEPG	Group Text Emergency Procedure Guide		
	IARC	International Agency for Research on Cancer		
	LC50	Lethal Concentration, 50% / Median Lethal Concentration		
	LD50	Lethal Dose, 50% / Median Lethal Dose		
	mg/m³	Milligrams per Cubic Metre		
	OEL	Occupational Exposure Limit		
	рН	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).		
	ppm	Parts Per Million		
	STEL	Short-Term Exposure Limit		
	STOT-RE	Specific target organ toxicity (repeated exposure)		
	STOT-SE	Specific target organ toxicity (single exposure)		
	SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons		
	SWA TLV	Safe Work Australia Threshold Limit Value		
	TWA	Time Weighted Average		
Report status	This document has been compiled by RMT on behalf of the manufacturer, importer or supplier o product and serves as their Safety Data Sheet ('SDS').			
	It is based on information concerning the product which has been provided to RM manufacturer, importer or supplier or obtained from third party sources and is believed to the current state of knowledge as to the appropriate safety and handling precautions for t at the time of issue. Further clarification regarding any aspect of the product should be directly from the manufacturer, importer or supplier.			
	not provide a no liability fo	as taken all due care to include accurate and up-to-date information in this SDS, it does any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts or any loss, injury or damage (including consequential loss) which may be suffered or ny person as a consequence of their reliance on the information contained in this SDS.		
Prepared by		3 9322 1711 322 1794 rmt.com.au		

[End of SDS]

ChemAlert.